



**CHEMICAL  
PRODUCTS**  
FOR  
**CONSTRUCTION**



**SAELGA**  
D I S T R I B U C I O N E S

## CHEMICAL PRODUCTS FOR CONSTRUCTION



## NATIONAL AND INTERNATIONAL DISTRIBUTION



### HEADQUARTERS

ZONA INDUSTRIAL A REVOLTA, POUSADOIRO S/N  
36650 CALDAS DE REIS, PONTEVEDRA, SPAIN  
TEL: +34 986 511 795  
SAELGA@SAELGA.COM



## BONDS, SEALS, EPOXY ADHESIVES, ETC.

### BONDS, EPOXY ADHESIVES, ANCHORING PRODUCTS



#### **MasterEmaco P 5000 AP**

Single-component bonding agent.



#### **MasterEmaco P 2000 BP**

Two-component epoxy bonding agent.



#### **MasterBrace ADH I460**

Structural adhesive. Two-component epoxy mortar.



### SEALING BANDS, HYDRO-EXPANSIVE JOINTS, POLYURETHANE FILLERS

#### **MasterSeal 930 + MasterSeal 933**

Elastic bands for moving joints + two-component epoxy adhesive.



#### **MasterSeal 921 - 922 - 925**

Hydro-expansive joints for concrete joint sealing.



#### **MasterSeal NP 472 - MasterSeal NP 474**

Polyurethane fillers for horizontal and vertical joint sealing.



Beige, grey, brown, black, white.

### FLUID, THIXOTROPIC RESINS FOR ANCHORING.

#### **MasterFlow 915**

Polyester resin.

#### **MasterFlow 920**

Epoxyacrilate resin.

#### **MasterFlow 150**

Fluid epoxy resin for vertical anchoring. Also suitable as a concrete bonding agent.



## R2, R3, R4 REPAIR MORTARS, URBAN MAINTENANCE, ETC.

### SURFACE LEVELLING AND COSMETIC REPAIR MORTAR. R2 CLASS

#### MasterEmaco N 205 FC (R2)

Cosmetic repair mortar.  
For thicknesses from 1 to 5 mm.



### STRUCTURAL REPAIR MORTARS. R3 CLASS

#### MasterEmaco S 330 (R3)

Structural repair mortar.  
For thicknesses from 10 to 40 mm.



#### MasterEmaco S 5300 (R3)

Structural repair mortar.  
For thicknesses from 5 to 75 mm.



### STRUCTURAL REPAIR MORTARS. R4 CLASS

#### MasterEmaco S 488 (R4)

Structural repair mortar.  
For thicknesses from 10 to 40 mm.



#### MasterEmaco S 5400 (R4)

Structural repair mortar.  
For thicknesses from 5 to 50 mm.



#### MasterEmaco S 5450 PG (fluid R4)

Fluid structural repair mortar.  
For thicknesses from 20 to 200 mm.



#### MasterEmaco S 544 RS (R4)

Fast-setting, sulphate-resistant mortar with an incorporated corrosion inhibitor.



### GROUTS

#### MasterFlow 765

Filling, foundation and anchoring grout.  
For thicknesses from 10 to 50 mm.



#### MasterFlow 952

Filling, foundation and anchoring grout.  
For thicknesses from 15 to 50 mm.  
High final resistance.



### STRUCTURAL REPAIR MORTARS FOR URBAN MAINTENANCE AREAS

#### MasterEmaco T 1100 TIX

Ultra-fast-setting thixotropic mortar for repairs in public areas, even at low temperatures (-10 °C).



#### MasterEmaco T 1200 PG

Ultra-fast-setting fluid mortar for repairs in public areas, even at low temperatures (-10 °C).



**ROAD TRAFFIC CAN BE RESTORED IN 2 HOURS!!!**

## WATERPROOF MORTARS, WATER LEAK REPAIRS, MACROPOROUS MORTARS, WATER REPELLENTS, ETC.

### WATERPROOF MORTARS



#### MasterSeal 531

A waterproof mortar based on special resins and cements. Perfect for the waterproofing of basements, garages, walls, fresh water tanks, etc.



#### MasterSeal 501

A waterproofing product for the capillary networks of concrete and mortar structures. Blocks the passage of water and ensures protection and waterproofing during all the lifespan of the structure.



#### MasterSeal 550

A sulphate-resistant cementitious membrane improved with high-flexibility polymers. Specifically designed to resist movements in water-holding structures.

**Two-component product.**



#### MasterSeal 560

A high-elasticity and high-flexibility cementitious membrane, quick commissioning (within 24 hours), UV resistant.

**Two-component product.**



#### MasterSeal 6100 FX

Single-component, low-density cementitious membrane with excellent elasticity and adhesion properties on practically any and all construction materials.

Quick commissioning (within 3 days with fresh water).

Eco-efficient. Low consumption (45-60% less than other membranes).



### WATER LEAK REPAIRS AND HALF TUBE CONSTRUCTION



#### MasterSeal 573

Fast-setting mortar for water leak repairs. Setting time: 30-45 seconds.



#### MasterSeal 590

Fast-setting mortar for water leak repairs and concrete and masonry half tube construction. Setting time: 2-4 minutes.



### MACROPOROUS MORTARS FOR CAPILLARY DAMPING



#### MasterEmaco N 235

A lime-based macroporous mortar preventing moisture in masonry walls with capillary damping issues.



#### MasterEmaco N 245 FC

A lime-based, thin-layer mortar with water-repelling properties and a high permeability to water vapour.





## ADHESIVE CEMENTS, GROUTS, PRIMERS, SELF-LEVELLING MORTARS, ETC.

### FLEXIBLE, DEFORMABLE AND PORCELAIN STONEWARE ADHESIVES



#### MasterTile FLX 421 C2 TE

A special adhesive for porcelain stoneware tiles. Grey and white.



#### MasterTile FLX 428 C2TE S1

High-adhesion deformable adhesive to set all kinds of ceramic tiles on almost any kind of surface.



#### MasterTile NTS 440 C2TE

A special adhesive for marble and stone setting. Prevents colour transfer.



#### MasterTile FLX 800 R2T

A two-component polyurethane adhesive for special surfaces: Wood, polyester, aluminium, PVC, etc.

### SELF-LEVELLING MORTAR, BONDING AGENT

#### MasterTile SL 515

Self-levelling mortar for indoor concrete and mortar floor surface levelling.



MasterTile P 302



MasterTile P 303



### GROUTS



#### MasterTile FLX 500

A waterproof, deformable grout for all kinds of ceramic tiles. For indoor and outdoor use.



#### MasterTile CR 770

An epoxy grout with high chemical resistances.



## WATER REPELLENTS, CURING AGENTS, FORMWORK STRIPPING AGENTS, FIBRES, PRIMERS, ETC.

### WATER REPELLENT



#### MasterProtect H 305

A colourless water repellent for concrete, cement mortar, natural stone, ceramic brick, etc.



### CURING LIQUIDS, FORMWORK STRIPPING AGENTS



#### MasterKure 215 WB

A generic curing agent for concrete and mortar formulated with water-based paraffin. Sprayable.

#### MasterFinish RL 315

A formwork stripping agent for all kinds of formworks. Particularly suitable for civil works.



### METAL, CARBON AND POLYPROPYLENE FIBRES



Fibres for concrete reinforcement. Preventing slab cracking and replacement for retraction control.



### MULTIPURPOSE BONDING AGENT

#### MasterEmaco P 110

Primer / adhesion intercoating product for materials like: Wood, concrete, mortar, brick, metal, ceramics. For further layers of concrete, mortar, adhesive cements, etc. Up to 3 days to overlay.





## FLOOR SURFACES FOR INDUSTRIAL APPLICATIONS, HOSPITALITY APPLICATIONS, ETC.

PRODUCTS FOR THE CREATION OF RESIN FLOOR SURFACES INTENDED FOR APPLICATIONS IN INDUSTRIES LIKE HOSPITALITY, RESIDENTIAL, FOOD, ETC.



Epoxy  
Polyurethane  
Self-levelling  
Multi-layered  
Etc.



## BENTONITE BLANKETS AND BAGS OF BENTONITE

A GEOCOMPOUND COMBINING BENTONITE AS A WATERPROOFING ELEMENT WITH TWO GEOTEXTILES FOR A BETTER REINFORCEMENT AND CONTAINMENT.






## SEPARATORS, COLOURED AGGREGATES, VAPOUR BARRIERS, GEOTEXTILES, DRAINAGE SHEETS, PVC JOINTS, EXPANSION JOINTS, NEOPRENE SUPPORTS, ETC.



Separators, spacers, listels, etc.



Coloured aggregates for industrial floor surfaces.




Vapour barriers for waterproofing applications.  
Cauges: 400-600-800-1000.



Polyester and polypropylene geotextiles.



PVC joints. Internal Expansion (IE).  
Internal Work (IW).



Expansion joints.



Neoprene supports.



Drainage sheets.  
With a geotextile, without a geotextile,  
with a coating mesh.

## TOOLS FOR FLOOR SURFACES, SEALS, ETC.



Spiked shoes  
Float trowels  
Masonry trowels  
Plastic spiked rollers  
Scratchers  
Scrapers  
Serrated blades  
Etc.



Sealing guns.  
Manual, pneumatic.



Special guns for the application of  
ceramic grouts.



Blade and clamp for PVC joints.




Anchoring resin  
application guns



## ACIDPROOF INDUSTRIAL STONEWARE, SPECIAL PARTS, ADHESIVE CEMENT AND GROUT

ACIDPROOF STONEWARE TILES FOR INDUSTRIAL COATINGS WITH HIGH-END CHEMICAL AND MECHANICAL PROPERTIES

### SPECIAL PARTS



### Field of application

Coatings with high-end chemical and mechanical requirements.

Agri-food, pharma, chemical, sewage treatment, etc.

Areas where substances that are chemically aggressive towards the structural elements and the environment are manufactured, handled, transformed or disposed.

Laboratories, hospitals, sewage plants, kitchens, etc.



**MasterTile CR 770**  
**MasterTile CR 730**

High chemical resistance epoxy mortar for ceramic replacements in walls and floors.



## **SAELGA PONTEVEDRA**

Zona Industrial A Revolta  
Pousadoiro S/N  
36650 **Caldas de Reis, PONTEVEDRA, SPAIN**  
Apdo. Correos: N.º 30 (P. O. Box No. 30)  
Tel: +34 986 51 17 95  
saelga@saelga.com

**www.SAELGA.com**

### ● **SAELGA PONTEVEDRA**

### ● **SAELGA BILBAO**

Pol. Ind. Berreteaga  
Avda. Txorierra 46 - Pab. 6 D  
48150 Sondika, BIZKAIA, SPAIN  
Tel: +34 944 535 014  
paisvasco@saelga.com

### ● **SAELGA GUADALAJARA**

Pol. Ind. La Quinta  
Avda. Ballestera  
Edif. Gran Europa Mod. I-2  
19208 Alovera, CUADALAJARA,  
SPAIN  
Tel: +34 949 20 64 00  
centro@saelga.com

### ● **SAELGA VALENCIA**

Pol. Ind. Catarroja  
Catarroja 32 - Parcela 29  
46470 Catarroja, VALENCIA,  
SPAIN  
Tel: +34 961 26 92 95  
levante@saelga.com

### ● **SAELGA SEVILLA**

Pol. Ind. San Nicolás  
Calle Principal - Nave 3  
41500 Alcalá de Cuadaira, SEVILLA,  
SPAIN  
Tel: +34 955 63 49 04  
andalucia@saelga.com